

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22560	(NAT or (network adj address adj translat\$5)) and (partition\$3 or divid\$3)	US-PGPUB	OR	OFF	2007/11/21 17:22
L2	31	((NAT or (network adj address adj translat\$5)) and (partition\$3 or divid\$3)).clm.	US-PGPUB	OR	OFF	2007/11/21 17:24
L3	1	L2 and 370/254.ccls.	US-PGPUB	OR	OFF	2007/11/21 17:25
L4	3	L2 and 370/392.ccls.	US-PGPUB	OR	OFF	2007/11/21 17:25
L5	0	L2 and 709/203.ccls.	US-PGPUB	OR	OFF	2007/11/21 17:25
L6	0	L2 and 711/202.ccls.	US-PGPUB	OR	OFF	2007/11/21 17:25
L7	0	L2 and 711/210.ccls.	US-PGPUB	OR	OFF	2007/11/21 17:25

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2585	(network near topology).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L2	456	L1 and "370"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L3	102	"370"/.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L4	1809	370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L5	59	L4 and (address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L6	0	370/254.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L7	51	370/254.ccls. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L8	13	(US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6516345-\$ or US-6625124-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L9	3	L8 and (address near translation)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L10	3	L8 and (address near translation) and (server)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L11	1003	(network near configuration).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L12	0	L11 and 370/254.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L13	29	L11 and 370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L14	0	370/254.ccls and (passive near active near clients).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L15	0	370/254.ccls and (passive near active).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L16	0	370/254.ccls and (passive near active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L17	0	370/254.ccls and (mask\$3 near IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L18	0	370/254.ccls and (network near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L19	0	370/254.ccls and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L20	1775	370/254.ccls. and (network "adj." address "adj." translat\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L21	1466	L20 and (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L22	0	L21 and (active near passive near client\$2)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L23	192	"6345294" or "6052718"	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L24	2	("6345294" or "6052718").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L25	498	2001/0039585 or "6571288" or "6134588" or "6078960" or "6539426" or "5870562" or "6035055" or "6041041" or "6081840" or "6185598" or "6304913" or "6338092" or "6505254" or "6581065" or 2002/0065938 or (2002/0186694 or 2003/0041094 or "6553413" or "6553420" or "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L26	16	(2001/0039585, "6571288", "6134588", "6078960", "6539426", "5870562", "6035055", "6041041", "6081840", "6185598", "6304913", "6338092", "6505254", "6581065", 2002/0065938, 2002/0186694, 2003/0041094, "6553413", "6553420", "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L27	48	"370"/.clas. and "709"/.clas. and (group\$4 near (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L28	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L29	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L30	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L31	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L32	9	(address near translation) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L33	9	(NAT) with (partition)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L34	7376	(network same address same translation)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L35	35	L34 same partition	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L36	1157	L34 same (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L37	9	L36 same (partition)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L38	856	L36 and ("370"/\$.ccls. or "709"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L39	317	L38 and (server or device) same NAT	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L40	36	L39 and (partition or divide)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L41	8139	709/203.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L42	2587	L41 and (network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L43	1675	L41 and (network same (topology or configuration) same server)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L44	2056	L41 and (network same (topology or configuration) same server same partition\$4 or divid\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L45	40	L41 and (network same (topology or configuration) same server same (partition\$4 or divid\$4) same (network "adj." address "adj." translation))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L46	1815	711/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L47	8	L46 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L48	0	L46 same (NAT same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L49	1117	L46 and (partition\$4 or divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L50	837	L49 and (topology or configuration or arrange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L51	2	L50 and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L52	26	("4843541" "5862357" "5898883" "5923847" "5940870" "6088770" "6295584" "6334177").PN. OR ("6510496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L53	1276	370/254.ccls. and (address "adj." translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L54	249	370/254.ccls. and (address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L55	18	(US-20010028654-\$ or US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$ or US-20030126202-\$ or US-20050013255-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5940870-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6510496-\$ or US-6516345-\$ or US-6625124-\$ or US-6633560-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L56	6	L55 and (network same address same translat\$4)	USPAT	OR	OFF	2007/11/21 16:35
L57	1	"6650641".pn.	USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L58	50	("5774660" "5951694" "6006264" "6038233" "6128642" "6128657" "6137777" "6185619" "6243379" "6249801" "6263368" "6327622" "6330602" "6389462").PN. OR ("6650641").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L59	3	L58 and (NAT same server same (topology or configuration))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L60	7	(NAT same server same (topology or configuration) same partition\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L61	1775	370/254.ccls. and (network "adj." address "adj." translat\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L62	14	(network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L63	0	370/254.ccls. and (network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L64	0	370/254.ccls. and ((topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L65	21	370/254.ccls. and ((topology or configuration) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L66	2994	370/392.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L67	1	L66 and (NAT same server same (partition or divide))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L68	195	L66 and (NAT)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L69	35	L66 and (NAT same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L70	0	"20020038360".pn.	USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L71	1	"20020038360".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L72	1	"6092178".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L73	0	("network address translat\$4") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L74	0	("network address translation") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L75	3434	("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L76	0	L75 and ("network (topology or configuration)")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L77	288	L75 and (partition and server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L78	10	L77 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L79	1	"6324580".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L80	1	"6959333".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L81	0	(network same topology) and (network same address same translatioin) and (server same monitor\$3) and (behind same translat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L82	0	(network same topology) and (network same address same translatioin) and (server same monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L83	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L84	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L85	0	(network same (topology or configuration)) and (network same address same translation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L86	154390	(network same (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L87	3024	L86 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L88	221	L87 and (monitor and partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L89	10	L88 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L90	996581	(network "adj." address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L91	3376	L90 and (partition\$3 or divide) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L92	511	L90 and ((partition\$3 or divide) same server\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L93	24	L92 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L94	488	L91 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L95	0	("network address translation") and ("partition\$3 server\$1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L96	758	("network address translation").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L97	15	L96 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L98	4946	370/392.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L99	0	L98 and (("network address translation") same partition\$3 same (server\$1 or workstation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L100	0	L98 and (("network address translation") same partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L101	189	L98 and (("network address translation"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L102	28	L101 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L103	0	(determin\$3 same network same (topology or configuration)) and ("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L104	3	(determin\$3 same network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L105	6998	(partition\$4 same server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L106	155	L105 and ("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L107	8	L106 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L108	1802	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L109	26	L108 and (partition\$4 same (server\$1 or workstation\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L110	182	711/210.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L111	35	L110 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L112	1	"6449647".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L113	1	"6173322".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L114	0	(NAT same DNS same creat\$4 same (sub-domain or workgroup))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L115	337	(NAT same DNS)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L116	2	(NAT same DNS same partition\$4 same (server\$1 or workgroup\$1 or workstation\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L117	2	(NAT same DNS same partition\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L118	2	(NAT same DNS same sub same domain)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L119	0	(NAT same DNS same creat\$4 same (sub))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L120	20	(NAT same DNS) and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L121	439	(network near (topology or configuration)) and ((partition\$3 or divid\$4) near (group\$1 or subgroup\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L122	187	L121 and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L123	147	L121 and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L124	6	L121 and (NAT) and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L125	19	L121 and (NAT or (network\$1 adj address\$1 adj translat\$4)) and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L126	19	L121 and (NAT or (network\$1 adj address\$1 adj translat\$4)) and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L127	615	(partition\$3 near server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L128	146	(partition\$3 near server\$1) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L129	23280	(NAT) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L130	23441	(NAT or (network adj address adj translation)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L131	0	((NAT or (network adj address adj translation)) same (partition\$3 near server\$1)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L132	0	((NAT or (network adj address adj translation)) and (partition\$3 near server\$1)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L133	11	((NAT or (network adj address adj translation)) and (partition\$3 near server\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L134	460	(NAT or (network adj address adj translation)).ab. or (NAT or (network adj address adj translation)).ti.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L135	62	L134 and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L136	55	L134 and (@ad<"20000124" or @rlad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L137	0	L134 and (@ad<"20000124" or @rlad<"20000124") and (server\$1 near partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L138	1	L134 and (@ad<"20000124" or @rlad<"20000124") and (partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L139	789	370/254.ccls.	USPAT	OR	OFF	2007/11/21 16:35
L140	38	L139 and (@ad<"20000124" or @rlad<"20000124") and (partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L141	1	"6650641".pn.	USPAT	OR	OFF	2007/11/21 16:35
L142	1	"6092178".pn.	USPAT	OR	OFF	2007/11/21 16:35
L143	9	(apparent near source near address)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L144	3	L143 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L145	4	L143 and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L146	2	"6505254".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L147	2	"6970944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L148	48	(firewall same (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L149	20	L148 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L150	48	(firewall same (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3)) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L151	0	(firewall same (network adj security)).ab. and (address\$5 near tabl\$3) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L152	966	(firewall same (network adj security)) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L153	127	(firewall same (network adj security)).ab. and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L154	24	(firewall same (network adj security)).ab. and (address\$5 same tabl\$3) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L155	966	(firewall same (network adj security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L156	78	(server\$1 and (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L157	14	L156 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L158	613	(address\$3 and map\$7).ab. and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L159	81	(address\$3 and map\$7).ab. and (compar\$3 near address\$3) and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L160	391	((NAT or (network adj address adj translat\$5)) same (internal with IP) and (external with IP))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L161	17	L160 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L162	2585	(network near topology).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L163	456	L162 and "370"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L164	102	"370"/.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L165	1809	370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L166	59	L165 and (address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L167	0	370/254.clas. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L168	51	370/254.ccls. and (network near topology).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L169	13	(US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6516345-\$ or US-6625124-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L170	3	L169 and (address near translation)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L171	3	L169 and (address near translation) and (server)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L172	1003	(network near configuration).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L173	0	L172 and 370/254.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L174	29	L172 and 370/254.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L175	0	370/254.ccls and (passive near active near clients).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L176	0	370/254.ccls and (passive near active).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L177	0	370/254.ccls and (passive near active)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L178	0	370/254.ccls and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L179	0	370/254.ccls and (mask\$3 near IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L180	0	370/254.ccls and (network near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L181	1775	370/254.ccls. and (network "adj." address "adj." translat\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L182	1466	L181 and (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L183	0	L182 and (active near passive near client\$2)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L184	192	"6345294" or "6052718"	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L185	2	("6345294" or "6052718").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L186	498	2001/0039585 or "6571288" or "6134588" or "6078960" or "6539426" or "5870562" or "6035055" or "6041041" or "6081840" or "6185598" or "6304913" or "6338092" or "6505254" or "6581065" or 2002/0065938 or (2002/0186694 or 2003/0041094 or "6553413" or "6553420" or "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L187	16	(2001/0039585, "6571288", "6134588", "6078960", "6539426", "5870562", "6035055", "6041041", "6081840", "6185598", "6304913", "6338092", "6505254", "6581065", 2002/0065938, 2002/0186694, 2003/0041094, "6553413", "6553420", "6185619").pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L188	48	"370"/.clas. and "709"/.clas. and (group\$4 near (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L189	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L190	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L191	0	(NAT) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L192	0	(NAT) with (partition) with (server or device) with (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L193	9	(address near translation) with (partition) with (server or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L194	9	(NAT) with (partition)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L195	7376	(network same address same translation)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L196	35	L195 same partition	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L197	1157	L195 same (topology or configuration)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L198	9	L197 same (partition)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L199	856	L197 and ("370"/\$.ccls. or "709"/\$.ccls. or "711"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L200	317	L199 and (server or device) same NAT	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L201	36	L200 and (partition or divide)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L202	8139	709/203.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L203	2587	L202 and (network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L204	1815	711/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L205	1117	L204 and (partition\$4 or divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L206	837	L205 and (topology or configuration or arrange\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L207	0	L204 same (NAT same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L208	1675	L202 and (network same (topology or configuration) same server)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L209	2056	L202 and (network same (topology or configuration) same server same partition\$4 or divid\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L210	40	L202 and (network same (topology or configuration) same server same (partition\$4 or divid\$4) same (network "adj." address "adj." translation))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L211	8	L204 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L212	2	L206 and (network near address near translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L213	26	("4843541" "5862357" "5898883" "5923847" "5940870" "6088770" "6295584" "6334177").PN. OR ("6510496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L214	1276	370/254.ccls. and (address "adj." translation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L215	249	370/254.ccls. and (address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L216	18	(US-20010028654-\$ or US-20020003780-\$ or US-20020009086-\$ or US-20020116493-\$ or US-20020143935-\$ or US-20030051032-\$ or US-20030126202-\$ or US-20050013255-\$).did. or (US-5737319-\$ or US-5796736-\$ or US-5886643-\$ or US-5926462-\$ or US-5933416-\$ or US-5940870-\$ or US-5966513-\$ or US-6046988-\$ or US-6118768-\$ or US-6205122-\$ or US-6347336-\$ or US-6377987-\$ or US-6483812-\$ or US-6510496-\$ or US-6516345-\$ or US-6625124-\$ or US-6633560-\$ or US-6643269-\$ or US-6728670-\$ or US-6798752-\$ or US-6822943-\$ or US-6829641-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L217	6	L216 and (network same address same translat\$4)	USPAT	OR	OFF	2007/11/21 16:35
L218	1	"6650641".pn.	USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L219	50	("5774660" "5951694" "6006264" "6038233" "6128642" "6128657" "6137777" "6185619" "6243379" "6249801" "6263368" "6327622" "6330602" "6389462").PN. OR ("6650641").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L220	3	L219 and (NAT same server same (topology or configuration))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L221	7	(NAT same server same (topology or configuration) same partition\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/21 16:35
L222	1775	370/254.ccls. and (network "adj." address "adj." transl\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L223	14	(network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L224	0	370/254.ccls. and (network same (topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L225	0	370/254.ccls. and ((topology or configuration) same (partition or divide or allocate) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L226	21	370/254.ccls. and ((topology or configuration) same NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L227	2994	370/392.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L228	1	L227 and (NAT same server same (partition or divide))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L229	195	L227 and (NAT)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L230	35	L227 and (NAT same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L231	0	"20020038360".pn.	USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L232	1	"20020038360".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L233	1	"6092178".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L234	0	("network address translat\$4") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L235	0	("network address translation") and (partition near servers)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L236	3434	("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L237	0	L236 and ("network (topology or configuration)")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L238	288	L236 and (partition and server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L239	10	L238 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L240	1	"6324580".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L241	1	"6959333".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L242	0	(network same topology) and (network same address same translatioin) and (server same monitor\$3) and (behind same translat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L243	0	(network same topology) and (network same address same translatioin) and (server same monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L244	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L245	996581	(network "adj." address "adj." translation).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L246	3376	L245 and (partition\$3 or divide) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L247	488	L246 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L248	0	(network same topology) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L249	0	(network same (topology or configuration)) and (network same address same translatioin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L250	154390	(network same (topology or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L251	3024	L250 and (NAT)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L252	221	L251 and (monitor and partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L253	10	L252 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L254	511	L245 and ((partition\$3 or divide) same server\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L255	24	L254 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L256	0	("network address translation") and ("partition\$3 server\$1")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L257	758	("network address translation").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L258	15	L257 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L259	4946	370/392.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L260	0	L259 and (("network address translation") same partition\$3 same (server\$1 or workstation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L261	0	L259 and (("network address translation") same partition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L262	189	L259 and (("network address translation"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L263	28	L262 and (@rlad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L264	0	(determin\$3 same network same (topology or configuration)) and ("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L265	3	(determin\$3 same network same (topology or configuration))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L266	2	(NAT same DNS same partition\$4)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L267	6998	(partition\$4 same server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L268	155	L267 and ("network address translation")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L269	8	L268 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L270	1802	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L271	26	L270 and (partition\$4 same (server\$1 or workstation\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L272	182	711/210.ccls.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L273	35	L272 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L274	1	"6449647".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L275	1	"6173322".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L276	0	(NAT same DNS same creat\$4 same (sub-domain or workgroup))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L277	337	(NAT same DNS)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L278	2	(NAT same DNS same partition\$4 same (server\$1 or workgroup\$1 or workstation\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35

EAST Search History

L279	0	((NAT or (network adj address adj translation)) same (partition\$3 near server\$1)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L280	2	(NAT same DNS same sub same domain) ,	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L281	0	(NAT same DNS same creat\$4 same (sub))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L282	20	(NAT same DNS) and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L283	439	(network near (topology or configuration)) and ((partition\$3 or divid\$4) near (group\$1 or subgroup\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L284	187	L283 and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L285	147	L283 and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L286	6	L283 and (NAT) and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L287	19	L283 and (NAT or (network\$1 adj address\$1 adj translat\$4)) and (@rlad<"20000124" or @ad<"20000124")	USPAT	OR	OFF	2007/11/21 16:35
L288	19	L283 and (NAT or (network\$1 adj address\$1 adj translat\$4)) and (@rlad<"20000124" or @ad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L289	615	(partition\$3 near server\$1)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L290	146	(partition\$3 near server\$1) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L291	23280	(NAT) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L292	23441	(NAT or (network adj address adj translation)) and (@ad<"20000124" or @rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L293	2	"6970944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L294	0	((NAT or (network adj address adj translation)) and (partition\$3 near server\$1)) and (@ad<"20000124" or @rlad<"20000124"))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L295	11	((NAT or (network adj address adj translation)) and (partition\$3 near server\$1))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L296	460	(NAT or (network adj address adj translation)).ab. or (NAT or (network adj address adj translation)).ti.	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L297	62	L296 and (@ad<"20000124" or @rlad<"20000124"))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L298	55	L296 and (@ad<"20000124" or @rlad<"20000124"))	USPAT	OR	OFF	2007/11/21 16:35
L299	0	L296 and (@ad<"20000124" or @rlad<"20000124") and (server\$1 near partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L300	1	L296 and (@ad<"20000124" or @rlad<"20000124") and (partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L301	789	370/254.ccls.	USPAT	OR	OFF	2007/11/21 16:35
L302	38	L301 and (@ad<"20000124" or @rlad<"20000124") and (partition\$1)	USPAT	OR	OFF	2007/11/21 16:35
L303	1	"6650641".pn.	USPAT	OR	OFF	2007/11/21 16:35
L304	1	"6092178".pn.	USPAT	OR	OFF	2007/11/21 16:35
L305	9	(apparent near source near address)	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L306	3	L305 and (@rlad<"20000124"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L307	4	L305 and (@rlad<"20000124" or @ad<"20000124"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L308	2	"6505254".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L309	48	(firewall same (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L310	20	L309 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L311	48	(firewall same (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3)) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L312	0	(firewall same (network adj security)).ab. and (address\$5 near tabl\$3) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L313	966	(firewall same (network adj security)) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L314	127	(firewall same (network adj security)).ab. and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L315	24	(firewall same (network adj security)).ab. and (address\$5 same tabl\$3) and (@rlad<"20000124" or ad<"20000124")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L316	966	(firewall same (network adj security))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35
L317	78	(server\$1 and (network adj security)).ab. and (address\$5 same (database or stor\$5 or record\$3 or tabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/21 16:35

EAST Search History

L318	14	L317 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L319	613	(address\$3 and map\$7).ab. and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L320	81	(address\$3 and map\$7).ab. and (compar\$3 near address\$3) and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L321	391	((NAT or (network adj address adj translat\$5)) same (internal with IP) and (external with IP))	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35
L322	17	L321 and (@rlad<"20000124")	US-PGPUB; USPAT	OR	OFF	2007/11/21 16:35